

Work Order ID 82632

April-04-12 10:49:51 AM

82632

Page 1

Item ID: D4279-3 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Mesh, Chamfer
 Start Date: 04/04/2012 Start Qty: 1.00 ***1*** **3 Pl** Cust Item ID:
 Required Date: 30/04/2012 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: MLJ Date: 12/04/04 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4279	B

100	FLOW WATER JET	0.00							
100									
Shear	Memo	0.00							
Shear	1-Cut to size as per Dwg D4279								

3X **12.05.10**

110	QC6- Inspect dimensions to drawing	0.00							
110									
QC	Memo	0.00							
Quality Control									

3X **12.05.15**

120	Bend as per dwg	0.00							
120									
Brake NC	Memo	0.00							
Brake NC	***Radius 3.00" and 10 degree will be made when install on basket base D4273 dwg***								

3X **12.05.15**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 82632

April-04-12 10:49:51 AM

82632

Page 2

Item ID: D4279-3 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Mesh, Chamfer
Start Date: 04/04/2012 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 30/04/2012 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: Date: Tooling: Date: Run Start ***NR1***
QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130	QC5- Inspect part completeness to spec on W/O	0.00							
130	Memo	0.00							
QC									
Quality Control									

NIA
AA

199	Identify as per dwg & Stock Location: <u>WA</u>	0.00							
199	Memo	0.00							
Packaging	***STOCK IN BASKET CELL***								
Packaging									

3x Ø 6/12-05-15

200	QC21- Final Inspection - Work Order Release	0.00							
200	Memo	0.00							
QC									
Quality Control									

12/5/10 DJ

ME
12-05-15

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

April-04-12 10:49:55 AM

Page 1

Work Order ID: 82632

82632

Parent Item: D4279-3

D4279-3

Parent Item Name: Mesh, Chamfer

Start Date: 04/04/2012

Required Date: 30/04/2012

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 10.11.12 new issue DD verf:EC
10.11.16 new issue DD verf:EC
AS PER DWG REV.B DD verf:EC

IPP Rev:A
IPP Rev:B 11.01.20

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304EX0.75-16F

Purchased

No

100

sf

816.3309

5

5.263158

M304FX0 75-16F

**

Expanded Metal Flat SS

Pl 12.05.10

Location

Loc Qty

Loc Code

WA

0.0001156

119180

0.0001156

WA035

816.3307641

117197

102.9036

117896

29.49258

118153

76.8473

118955

82.17

119180

53.6958107

119729

28.1132686

120153

2.97557478

120917

210.99263

121082

229.14

15.79

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

SHOP COPY
 RETURN TO
 ENGINEERING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 WORK ORDER
 NO. 82632 MJS

12/04/04

RELEASED
 2010-12-06
 MJS




D4279-1 MESH - BASE

NOTES:

- 1) MATERIAL: MAKE FROM D4279-1F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: SEE D4279-1F
- 8) PRE-FORMING OF MESH PER SHOP OPTION, THIS VIEW MAY BE USED FOR REF ONLY.

B	-3F: 6.50 WAS 20.90 (B5-4); REDESIGN -9 (SHT 7); ADD -11/-11F (SHT 8/9), 48.0 WAS 50.50 (C2-2, C7-9), CUTOUTS ON -9 NOW TRIMMED ON INSTALL (A6-6)	CP	10.11.30
A	NEW ISSUE	SC	10.11.25
REV.	DESCRIPTION	BY	DATE
DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	JPH	DRAWING NO.	REV. B
MFG. APPR.	JPH	D4279	SHEET 1 OF 9
APPROVED	JPH	TITLE	SCALE
DE APPR.	JPH	MESH - BASKET	NTS
DATE	10.11.30	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

82632



D4279-1F MESH, BASE
(LOCAL SECTION MESH SHOWN FOR CLARITY)


RELEASED
2010-12-06

NOTES:

- 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 EXCEPT ON XX.XX DIMS ± 0.06 .
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 14.3 lbs APPROX
- 8) TRIM ON INSTALLATION

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JPH	DRAWING NO.	REV. B
MFG. APPR.	JPH	D4279	SHEET 2 OF 9
APPROVED	JPH	TITLE	SCALE
DE APPR.	JPH	MESH - BASKET	NTS
DATE	10.11.30	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

82632




D4279-3 MESH-CHAMFER

RELEASED
2010-12-06

- NOTES:
- 1) MATERIAL: MAKE FROM D4279-3F
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 EXCEPT ON XX.XX DIMS ± 0.06 .
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: SEE D4279-3F
 - 8) PRE-FORMING OF MESH PER SHOP OPTION, THIS VIEW MAY BE USED FOR REF ONLY.

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JPH	DRAWING NO.	REV. B
MFG. APPR.	JPH	D4279	SHEET 3 OF 9
APPROVED	JPH	TITLE	SCALE
DE APPR.	JPH	MESH - BASKET	NTS
DATE	10.11.30	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

82632



D4279-3F MESH-CHAMFER
(LOCAL SECTION MESH SHOWN FOR CLARITY)


RELEASE
2010-12-06
NTP

NOTES:

- 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 EXCEPT ON XX.XX DIMS ± 0.06 .
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.9 lbs APPROX
- 8) TRIM ON INSTALLATION

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO. D4279	REV. B
MFG. APPR.	<i>[Signature]</i>	SHEET 4 OF 9	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	MESH - BASKET	NTS
DATE	10.11.30	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

82632



D4279-5 END MESH, BASKET


RELEASED
2010-12-06

NOTES:

- 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 EXCEPT ON XX.XX DIMS ± 0.06 .
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 1.24 lbs

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JPH	DRAWING NO.	REV. B
MFG. APPR.	JPH	D4279	SHEET 5 OF 9
APPROVED	JPH	TITLE	SCALE
DE APPR.	JPH	MESH - BASKET	NTS
DATE	10.11.30	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISCLOSED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

82632



D4279-7 END MESH, BASKET

RELEASED
2010-12-86
W


NOTES:

- 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 EXCEPT ON XX.XX DIMS ± 0.06 .
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.71 lbs
- 8) TRIM ON INSTALLATION TO CLEAR HOLES (IF PRESENT)

(B)

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	JB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JB	DRAWING NO.	REV. B
MFG. APPR.	JB	D4279	SHEET 6 OF 9
APPROVED	JB	TITLE	SCALE
DE APPR.	JB	MESH - BASKET	NTS
DATE	10.11.30	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	






82632




D4279-11 MESH - BASE

RELEASED
2010-12-06
JWD

- NOTES:**
- 1) MATERIAL: MAKE FROM D4279-11F
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: SEE D4279-1F
 - 8) PRE-FORMING OF MESH PER SHOP OPTION, THIS VIEW MAY BE USED FOR REF ONLY.

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4279	SHEET 8 of 9
APPROVED		TITLE	SCALE
DE APPR.		MESH - BASKET	NTS
DATE	10.11.30	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

82632



D4279-11F MESH, BASE
(LOCAL SECTION MESH SHOWN FOR CLARITY) B

RELEASED
2010-12-06
MD

NOTES:

- 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 EXCEPT ON XX.XX DIMS ± 0.06 .
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 2.7 lbs APPROX
- 8) TRIM ON INSTALLATION

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO. D4279	REV. B
MFG. APPR.	<i>[Signature]</i>	SHEET 9 OF 9	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	MESH - BASKET	NTS
DATE	10.11.30	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	